




Atomizer 12 W1—"size"—45°

12-DSF1-4G-E
14-02-06




Size [kg/h]
20
25
32
40
50
60
70
80
90
100
112
125
140
160
180
200
225
250
275
300
330
360
400
450
500
550
600
650
700

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity

MARKING ON HEXAGON:




GENERAL DATA:

Test oil viscosity: 5 cSt.
Supply pressure: 20 bar.
Max. output with closed return line.
Turn down 1:4 up to 60 at 10 bar return pressure,
over 60 at 7 bar return pressure.
Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%
Spray angle: Max. output 47° +5°
Turned down 78° +10°



Atomizer 12 W1—"size"—50°

12-DSGM-4G-E
14-02-06




Size [kg/h]
20
25
32
40
50
60
70
80
90
100
112
125
140
160
180
200
225
250
275
300
330
360
400
450
500
550
600
650
700

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity

MARKING ON HEXAGON:




GENERAL DATA:

Test oil viscosity: 5 cSt.
Supply pressure: 20 bar.
Max. output with closed return line.
Turn down 1:4 up to 60 at 10 bar return pressure,
over 60 at 7 bar return pressure.
Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%
Spray angle: Max. output 50° +5°
Turned down 80° +10°



Atomizer 12 W1—"size"—60°

12-DSL1-4G-E
14-02-06




Size [kg/h]
20
25
32
40
50
60
70
80
90
100
112
125
140
160
180
200
225
250
275
300
330
360
400
450
500
550
600
650
700

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity

MARKING ON HEXAGON:



GENERAL DATA:

Test oil viscosity: 5 cSt.
Supply pressure: 20 bar.
Max. output with closed return line.
Turn down 1:4 up to 60 at 10 bar return pressure,
over 60 at 7 bar return pressure.
Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%
Spray angle: Max. output 60° +5°
Turned down 85° +10°