




Atomizer 12 WR2—"size"—30°

12-E6A1-4G-E


14-02-06





Size [kg/h]
20
25
32
40
50
60
70
80
90
100
115
130
145
160
180
200
225
250
275
300
330
360
400

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity

MARKING ON HEXAGON:**GENERAL DATA:**

Test oil viscosity: 5 cSt.
Supply pressure: 25 bar.
Max. output with closed return line.
Turn down 1:4 at 15 bar return pressure,
Max output: up to 80 -2% +8%
up to 180 -2% +5%
over 180 -2% +3%
Spray angle: Max. output 30° +5°
Turned down 55° +8°



GENERAL DATA:

- Test oil viscosity: 5 cSt.
Supply pressure: 25 bar.
Max. output with closed return line.
Turn down 1:4 at 13.5 bar return pressure,
Max output: up to 80 -2% +8%
 up to 180 -2% +5%
 over 180 -2% +3%
Spray angle: Max. output 35° +5°
 Turned down 54° +8°






Atomizer 12 WR2—"size"—45°

12-E6F1-4G-E


14-02-06





Size [kg/h]
20
25
32
40
50
60
70
80
90
100
115
130
145
160
180
200
225
250
275
300
330
360
400
450
500
550
600
650
700
750

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity


MARKING ON HEXAGON:**GENERAL DATA:**

Test oil viscosity: 5 cSt.
Supply pressure: 25 bar.
Max. output with closed return line.
Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.
Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%
Spray angle: Max. output 45° +5°
Turned down 63° +10°



GENERAL DATA:

- Atomizer type
- Size
- Spray angle
- Quantity



Test oil viscosity: 5 cSt.



Supply pressure: 25 bar.

Max. output with closed return line.

Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.


Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%

Spray angle: Max. output 50° +5°
Turned down 68° +10°



GENERAL DATA:

- Atomizer type
- Size
- Spray angle
- Quantity



Test oil viscosity: 5 cSt.
Supply pressure: 25 bar.
Max. output with closed return line.
Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.
Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%
Spray angle: Max. output 60° +5°
Turned down 78° +10°